Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Ovagen - 20mg

4X TESTED

PASS

Tested for: NextSelf
www.nextselflabs.com

COA #:	**COA-2026-DX5E3E**	Analysis Date:	**11/09/2026**
Lot Number:	**NS-OVA-01**	Appearance:	**Good**
Accession #:	**ACC-2026-24138**	Sample Matrix:	**Lyophilized**
Labeled Content:	**20mg**	Volume:	**3mL**
		Date Received:	**10/27/2026**

Scan to verify authenticity at ils-lab.com
Access Code: 32W3LY9G

Method: **Purity, Identity & Quantitation (HPLC)**

Identity	Peptide Purity	
Ovagen	**96.60%**	Fentanyl Free




Ovagen 20mg - NS-OVA-01

Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	**96.60%**	%	**PASS**
Net Peptide Content	Report Only	**20.76**	mg	N/A
Identity (HPLC-RTM)	Ovagen	**Confirmed**	-	**PASS**
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	**Not Detected**	-	**PASS**

HPLC Chromatogram



Ovagen 20mg - NS-OVA-01: UV Chromatogram

Notes & Methodology

1. Date Tested: 11/09/2026. Methods: Purity, Identity & Quantitation (HPLC).
2. The sample was confirmed to be Ovagen by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
4. Quality System: ILS Laboratories operates an ISO/IEC 17025 quality management system. Peptide testing is performed for Research Use Only.
5. This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.

Issued by ILS Laboratories
(619) 329-3999
ils-lab.com

Dr. Greg Kalyuzhny
Lab Director
11/09/2026

COA #: **COA-2026-DX5E3E**
Access Code: **32W3LY9G**
Verify: portal.ils-lab.com/verify/aA8i4kRBcm2IQFIb
Issued: 11/09/2026