

## ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111  
(619) 329-3999 | ils-lab.com

## Klow - 80mg

Tested for: NextSelf  
www.nextselflabs.com

PASS

COA #: COA-2026-956880  
Lot Number: NS-2609-014  
Accession #: ACC-2026-19339  
Labeled Content: 80mg

Analysis Date: 09/14/2026  
Appearance: Good  
Sample Matrix: Lyophilized  
Volume: 3mL  
Date Received: 09/11/2026



Scan to verify  
authenticity at ils-lab.com  
Access Code: E2WLD4KT

Method: Blend Purity, Identity & Quantitation (HPLC)

Identity  
**Klow**

Peptide Purity  
**99.87%**




## Blend Purity, Identity & Quantitation (HPLC)

| Analyte                   | Specification                   | Result       | Unit | Status |
|---------------------------|---------------------------------|--------------|------|--------|
| Peptide Purity (HPLC)     | >= 95.0%                        | 99.87%       | %    | PASS   |
| Net Blend Peptide Content | Report Only                     | 85.31        | mg   | N/A    |
| -- GHK-Cu                 |                                 | 53.32        | mg   |        |
| -- TB-500                 |                                 | 10.66        | mg   |        |
| -- BPC-157                |                                 | 10.66        | mg   |        |
| -- KPV                    |                                 | 10.66        | mg   |        |
| Identity (HPLC-RTM)       | GHK-CU + TB-500 + BPC-157 + KPV | Confirmed    | -    | PASS   |
| Fentanyl Screen           | Immunoassay, 50 ng/mL cutoff    | Not Detected | -    | PASS   |



Klow 80mg - NS-2609-014

## HPLC Chromatogram



Klow 80mg - NS-2609-014: UV Chromatogram

## Notes & Methodology

- Date Tested: 09/14/2026. Methods: Blend Purity, Identity & Quantitation (HPLC).
- The sample was confirmed to be Klow by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
- Per-component content determined by individual peak integration. Not all labeled components may be present.
- Accreditation Scope: ILS Laboratories maintains ISO/IEC 17025 accreditation for activities listed in its published PJLA scope. Peptide testing reported on this certificate is performed for Research Use Only.
- This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.