Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Bac Water - 3mL

Tested for: NextSelf
www.nextselflabs.com

PASS


COA #:	**COA-2026-957271**	Analysis Date:	**09/18/2026**
Lot Number:	**NS-2609-028**	Appearance:	**Good**
Accession #:	**ACC-2026-19357**	Sample Matrix:	**Liquid/Solution**
Labeled Content:	**3mL**	Vial Size:	**3mL**
		Date Received:	**09/11/2026**

Scan to verify authenticity at ils-lab.com
Access Code: 9V8AMVTX

Method: **Sterility (PCR)**

Identity
Bac Water

Fentanyl Free



Bac Water 3mL - NS-2609-028

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	**No Growth**	**PASS**

Notes & Methodology

1. Date Tested: 09/18/2026. Methods: .
2. Accreditation Scope: ILS Laboratories maintains ISO/IEC 17025 accreditation for activities listed in its published PJLA scope. Peptide testing reported on this certificate is performed for Research Use Only.
3. This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.

Issued by ILS Laboratories
(619) 329-3999
ils-lab.com

Dr. Greg Kalyuzhny
Lab Director
09/18/2026

COA #: **COA-2026-957271**
Access Code: **9V8AMVTX**
Verify: portal.ils-lab.com/verify/rKX3Cu8ghPATBrig
Issued: 09/18/2026